

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.</p>						
1. REPORT DATE (DD-MM-YYYY) 05-11-2017		2. REPORT TYPE Final Report			3. DATES COVERED (From - To) 09/28/2009 - 03/31/2015	
4. TITLE AND SUBTITLE Modeling and Design of IR Laser Sources, Nonlinear Sources, and Devices				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER N00173-09-2-C016		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) Curtis R. Menyuk				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Maryland Baltimore County 1000 Hilltop Circle Baltimore, MD 21250-0002 USA					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Naval Research Laboratory Attn: Code 5596 4555 Overlook Avenue, NW Washington, DC 20375					10. SPONSOR/MONITOR'S ACRONYM(S) NRL	
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Unlimited distribution						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT We summarize activities that we carried out during the grant period in collaboration with scientists at the Naval Research Laboratory. Our joint research focused on two activities. The first was the study of propagation in chalcogenide fibers and materials and focused on supercontinuum generation, negative curvature fibers, and motheye structures. We found ways to achieve a broad bandwidth in chalcogenide fibers and to maximize the transmission into and out of these fibers. The second was the study of high-current photodetectors and focused on determining the sources of nonlinearity and methods to mitigate them.						
15. SUBJECT TERMS Optical fibers, chalcogenides, infrared devices, photodetectors						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE			Curtis R. Menyuk	
U	U	U	None	3	19b. TELEPHONE NUMBER (Include area code) 410-455-3501	

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATES COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33615-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report, e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5d. PROJECT NUMBER. Enter all project numbers as they appear in the report, e.g. 1F665702D1257; ILIR.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

FINAL REPORT: N00173-09-2-C016

Modeling and Design of IR Laser Sources, Nonlinear Sources, and Devices

Curtis R. Menyuk

In this report, I will be summarizing the activities that we carried out on grant N00173-09-2-C016, Modeling and Design of IR Laser Sources, Nonlinear Sources, and Devices which covered the period from 09/28/2009 – 03/31/2015. This grant involved a close working relationship with the Naval Research Laboratory that led to many joint publications, including archival journal publications, as well as invited and peer-reviewed conference presentations. We communicated on at least a monthly basis with scientists at the Naval Research Laboratory and often more frequently to review progress.

Our activities focused on two general activities. The first was the study of propagation in chalcogenide optical fibers and materials. This work included studies of supercontinuum generation, studies of negative curvature fibers, and studies of propagation into and out of chalcogenide fibers that have motheye structure super-imposed on the surface. The second activity examined nonlinearity in photodetectors and examined ways to compensate for the nonlinearity. We had not found good approaches for mitigating nonlinearity at the point that this grant ended, but we continued to look for mitigation techniques in the current grant and have been successful.

This work also led to two PhD dissertations, one of which is within this contract period and is listed here. The other PhD degree was awarded in 2016. The student who received the PhD degree in 2015 is now working at the Naval Research Laboratory.

The list of publications and presentations follows:

Archival journal publications

1. J. Hu, C. R. Menyuk, L. B. Shaw, J. S. Sanghera, and I. D. Aggarwal, “Maximizing the Bandwidth of Supercontinuum Generation in As_2Se_3 Chalcogenide Fibers,” *Opt. Express* **18**, 6722–6739 (2010).
[doi:10.1364/OE.18.006722]
2. J. Hu, C. R. Menyuk, L. B. Shaw, J. S. Sanghera, and I. D. Aggarwal, “Computational Study of a 3–5 μm Source Created By Using Supercontinuum Generation in As_2Se_3 Chalcogenide Fibers With a Pump at 2 μm ,” *Opt. Lett.* **35**, 2907–2909 (2010).
[doi:10.1364/OL.35.002907]
3. R. J. Weiblen, A. Docherty, J. Hu, and C. R. Menyuk, “Calculation of the Expected Bandwidth for a Mid-Infrared Supercontinuum Source Based on As_2Se_3 Chalcogenide Photonic Crystal Fibers,” *Opt. Express* **18**, 26666–26674 (2010). [Invited paper]
[doi:10.1364/OE.18.026666]
4. J. Hu, C. R. Menyuk, L. B. Shaw, J. S. Sanghera, and I. D. Aggarwal, “A Mid-IR Source With Increased Bandwidth Using Tapered As_2S_3 Chalcogenide Photonic

- Crystal Fibers,” *Opt. Comm.* **293**, 116–118 (2013).
[doi:10.1016/j.optcom.2012.11.021]
5. J. J. Butler, A. S. Bowcock, S. R. Sueoka, S. R. Montgomery, S. R. Flom, E. J. Friebele, B. M. Wright, J. R. Peele, R. G. S. Pong, J. S. Shirk, J. Hu, C. R. Menyuk, and T.F. Taunay, “Optical Properties of Solid-Core Photonic Crystal Fibers Filled With Nonlinear Absorbers,” *Opt. Express* **21**, 20707–20712 (2013).
[doi:10.1364/OE.21.020707]
 6. R. J. Weiblen, A. Docherty, C. R. Menyuk, L. B. Shaw, J. S. Sanghera, and I. D. Aggarwal, “Calculation of the Expected Output for a Mid-Infrared Supercontinuum Source Based on As₂S₃ Chalcogenide Photonic Crystal Fibers,” *Opt. Express* **22**, 22220–22231 (2014).
[doi:10.1364/OE.22.022220]
 7. Y. Hu, B. S. Marks, C. R. Menyuk, V. J. Urick, and K. J. Williams, “Modeling Sources of Nonlinearity in a Simple p-i-n Photodetector,” *J. Lightwave Technol.* **32**, 3710–3720 (2014).
[doi:10.1109/JLT.2014.2315740]
 8. C. Wei, R. A. Kuis, F. Chenard, C. R. Menyuk, and J. Hu, “Higher-Order Mode Suppression in Chalcogenide Negative Curvature Fibers,” *Opt. Express* **23**, 15825–15832 (2015).
[doi:10.1364/OE.23.015825]
 9. Y. Hu, T. F. Carruthers, C. R. Menyuk, M. N. Hutchinson, V. J. Urick, and K. J. Williams, “Simulation of a Partially Depleted Absorber (PDA) Photodetector,” *Opt. Express* **23**, 20402–20417 (2015).
[doi:10.1364/OE.23.020402]
 10. J. Hu, C. R. Menyuk, C. Wei, L. B. Shaw, J. S. Sanghera, and I. D. Aggarwal, “Highly Efficient Cascaded Amplification Using Pr³⁺-Doped Mid-Infrared Chalcogenide Fiber Amplifiers,” *Opt. Lett.* **40**, 3687–3690 (2015).
[doi:10.1364/OL.40.003687]
 11. R. J. Weiblen, C. M. Florea, L. E. Busse, L. B. Shaw, C. R. Menyuk, I. D. Aggarwal, and J. S. Sanghera, “Irradiance Enhancement and Increased Laser Damage Threshold in As₂S₃ Moth-Eye Antireflective Structures,” *Opt. Lett.* **40**, 4799–4802 (2015).
[doi:10.1364/OL.40.004799]

Invited conference presentation

1. C. R. Menyuk, R. J. Weiblen, J. Hu, I. D. Aggarwal, L. B. Shaw, and J. S. Sanghera, “Maximizing the Bandwidth While Minimizing the Spectral Fluctuations Using Supercontinuum Generation in Photonic Crystal Chalcogenide Fibers,” *IEEE Summer Topical Meetings, Nassau, Bahamas (July 13–15, 2015)*, paper ME3.2.

Reviewed conference presentations

1. Y. Hu, C. R. Menyuk, M. Hutchinson, V. J. Urick, and K. J. Williams, “Impact of the Coulomb Interaction on the Franz-Keldysh Effect in a High-Current Photodetector,” Conference on Lasers and Electro-Optics, San Jose, CA (May 10–15, 2015), paper STh3F.6.
2. C. Wei, J. Hu, and C. R. Menyuk, “Bending-Induced Mode Coupling in Chalcogenide Negative Curvature Fibers,” OSA Advanced Photonics Meeting, Boston, MA (June 27–July 1, 2015), paper NT2C.5.
3. C. Wei, F. Chenard, C. R. Menyuk, and J. Hu, “Design of Chalcogenide Negative Curvature Fibers,” IEEE Summer Topicals Meeting, Nassau, Bahamas (July 13–15, 2015), paper MP7.
4. C. Wei, O. Alvarez, F. Chenard, C. Menyuk, and J. Hu, IEEE Summer Topicals Meeting, “Empirical Glass Thickness for Chalcogenide Negative Curvature Fibers,” IEEE Summer Topicals Meeting, Nassau, Bahamas (July 13–15, 2015), paper TuE3.3.
5. Y. Hu, T. F. Carruthers, and C. R. Menyuk, “Modeling Nonlinearity in a Modified Uni-Traveling-Carrier (MUTC) Photodetector,” IEEE Photonics Conference, Reston, VA (Oct. 4–8, 2015), paper TuC2.4.
6. R. J. Weiblen, C. Florea, C. R. Menyuk, I. D. Aggarwal, L. E. Busse, L. B. Shaw, and J. S. Sanghera, “Ideal Cusp-Like Motheye Antireflective Structures for Chalcogenide Optical Fibers,” IEEE Photonics Conference, Reston, VA (Oct. 4–8, 2015), paper WI1.4.

Ph.D. dissertation

1. R. J. Weiblen, *Light Propagation Into, Out of, and Through Mid-Infrared Optical Fibers* (Ph.D. Dissertation, November 2015).